

EXTRUDED ALUMINUM
SILL CAP

DS GLAZING TAPE

GLAZING MATERIAL


SANTOPRENE GASKET

EXTRUDED ALUM SILL
S-100



1/4" BEAD OF SEALANT @ PERIMETER
OF CURB (AIR SEAL)

INTERIOR MOUNT SCREW
@ 24" OC TYP.

CURB & FLASHING
BY OTHERS



A S-100 SILL @ SIDES



B SECTION THROUGH TOP AND BOTTOM SILL (S-100 SILL) STANDARD SILL

EXTRUDED ALUMINUM
SILL CAP

DS GLAZING TAPE

GLAZING MATERIAL


SANTOPRENE GASKET

EXTRUDED ALUM SILL
S-100


1/4" BEAD OF SEALANT @ PERIMETER
OF CURB (AIR SEAL)

INTERIOR MOUNT SCREW
@ 24" OC TYP.

CURB & FLASHING
BY OTHERS



A S-100 SILL @ SIDES



CURB DESIGN

90° TO
ROOF



B SECTION THROUGH TOP AND BOTTOM SILL (S-100 SILL) FLUSH GLAZE



SKYLIGHTS - WINDOWS - DOORS


© All Rights Reserved
Sun Valley Skylights, Inc.

PROJECT


APPROVED

SCALE: 1/2"=1"

PAGE:



A S-100 SILL @ SIDES



B SECTION THROUGH TOP AND BOTTOM SILL (S-100 SILL) BENT LEG SILL